

Vented Spike with

Scan Me for Web Page



C-Flow Bidirectional Valve

Ideal for needle-free withdrawal of drugs from vials, the integrated C-FLOW Bidirectional valve provides a better flow rate and easier aspiration of viscous solutions. An integrated 0.2 micron vent filter minimises aerosol contamination by neutralising vial pressure during aspiration of solutions.

Features and Benefits

- Secure vial attachment
- ✓ Safe, needle-free penetration
- 0.2µm vent filter for assured sterile venting applications
- Swabable luer valve for aspiration of viscous solutions
- Spike cap to reduce risk of touch contamination



Ordering Information

IV0509B Vented Spike w/ C-Flow Valve 20mm • sterile • 40pcs/pck

IV0509B



Helapet Limited | Lister House | Blackburn Road | Houghton Regis | Bedfordshire | LU5 5BQ Web: helapet.co.uk | Phone: +44 (0)1582 501980 | Email: sales@helapet.co.uk





Technical Data

	IV0509B
Housing material	Polycarbonate (PC); Silicone (Si); Acrylonitrile butadiene styrne (ABS)
Vent filter	0.22µm Oleo-hydrophobic
Adapter diameter	20mm
Properties	Disinfectable Surface; Latex-free
Length	6.3cm
Maximum injection pressure	22 bars (325 psi) at a rate of 10ml/s
Back pressure	2 bars (29 psi)
Flow Rate	>50ml/min
Residual volume	0.25ml
Luer access	Swabable luer lock connection
Packaging	Individually blister packed; 40 x blisters per pack
Sterilisation	Ethylene Oxide (ETO)
Compliance	CE marked (MDD)
Shelf Life	35 months from date of manufacture

Helapet Limited

Lister House | Blackburn Road | Houghton Regis | Bedfordshire | LU5 5BQ Web: helapet.co.uk | Phone: +44 (0)1582 501980 | Email: sales@helapet.co.uk





